

EDITOR-IN-CHIEF

RÉDACTEUR EN CHEF

Miguel N. Burnier, Jr., MD, PhD

MANAGING EDITOR

DIRECTRICE DE RÉDACTION

Gloria Baker

EDITORIAL ADMINISTRATOR

ADMINISTRATRICE DE RÉDACTION

Gail Gaudreau

SECTION EDITORS

RÉDACTEURS DE SECTION

Isabelle Brunette, MD

(Cataract and optics/
Cataracte et optique)

François Codère, MD, FRCSC

(Oculoplastic surgery/
Chirurgie plastique oculaire)

Chaim Edelstein, MD, FRCSC

(Ocular oncology/Oncologie oculaire)

Eric Fortin, MD, FRCSC

(Uveitis/Uvéite)

J. Godfrey Heathcote, MB, PhD, FRCPC

(Ophthalmic and general pathology/
Pathologie ophtalmique et générale)

Simon P. Holland, MB, FRCSC

(Cornea and external disease
and refractive surgery/
Maladies externes et de la cornée
et chirurgie réfractive)

G. Robert LaRoche, MD, FRCSC

(Pediatric ophthalmology/
Ophtalmologie pédiatrique)

Sanjay Sharma, MD, FRCSC,

MSc(Epid), MBA

(Retina and vitreous/Rétine et vitré)

Martin W. ten Hove, MD, FRCSC

(Neuro-ophthalmology/
Neuro-ophtalmologie)

Graham E. Trope, MB, PhD, FRCSC

(Glaucoma/Glaucome)

Michael Walter, PhD

(Genetics/Génétique)

TRANSLATION EDITOR

DIRECTEUR DE LA TRADUCTION

Robert Chevrier, MD, FRCSC

CONTRIBUTING EDITORS

RÉDACTRICES INVITÉES

Ann Bolster, Cynthia N. Lank

INTERNATIONAL ADVISORY BOARD

CONSEIL CONSULTATIF INTERNATIONAL

Dr. Gerald J. Chader, Bethesda, Md.

Prof. Gilles J. Renard, Paris

EDITORES EMERITI

Drs. David J. Addison,

Cecil C. Ewing,

Ian M. MacDonald,

Brent J. MacInnis,

J. Clement McCulloch,

Donald W. Mills,

Howard N. Reed



Canadian Société
Ophtalmologique canadienne
Société d'ophtalmologie

PRESIDENT

PRÉSIDENT

Duncan P. Anderson, MD, FRCSC

EXECUTIVE DIRECTOR

DIRECTEUR GÉNÉRAL

Hubert Drouin

SUBJECTS • SUJETS

Acne rosacea:

A rare agent of chalazion: demodectic mites. Köksal M et al, 605-6

Acquired immunodeficiency syndrome:

Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Acute macular neuroretinopathy: See Retinal diseases

See also Optic nerve diseases

Administration, topical:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Adrenergic beta receptor blockers:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Adverse drug effect: See Drug toxicity

Age-related macular degeneration: See Macular degeneration

Aging:

Age-related decrease of potassium currents in glial (Müller) cells of the human retina, Bringmann A et al, 464-8

AIDS: See Acquired immunodeficiency syndrome

Amblyopia:

Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, Filipović T et al, 587-92

Anatomic models: See Models, anatomic

Angiography:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

Angle-closure glaucoma: See Glaucoma, angle-closure

Antioxidants:

Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32

Antiphospholipid syndrome:

Vitreous hemorrhage as the presenting sign of antiphospholipid syndrome, Monshizadeh R et al, 607-9

Anxiety:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Apocrine glands:

Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63

Aqueous humour:

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Argon laser: See Lasers

Argon laser photocoagulation: See Laser coagulation

Autoantibodies:

Probable autoimmune retinopathy in a patient with multiple sclerosis, Forooghian F et al, 593-7

Autosomal dominant inheritance:

Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40

Beta-blockers: See Adrenergic beta receptor blockers

Betaxolol:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Biomicroscopy, ultrasound:

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Ultrasound biomicroscopic findings in a cavitary melanocytoma of the ciliary body, Capeáns C et al, 501-3

Body dysmorphic disorder: See Body image

Body image:

Dysmorphophobia, Jordan DR et al, 223-4

Brimonidine:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Calcium channels:

Age-related decrease of potassium currents in glial (Müller) cells of the human retina, Bringmann A et al, 464-8

Cataract:

Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, Carrillo M et al, 230-2

Comparison of outcomes of viscocanalostomy and phacoviscocanalostomy, Üretmen Ö et al, 580-6

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Cataract extraction:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines?, Mildon D et al, 199-206

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines? [discussion], Huang PT, 206

Endophthalmitis Vitrectomy Study [letter], Hutnik CML, 264-5

Endophthalmitis Vitrectomy Study [letter], Johnson TM, 264

Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, Beiko GHH, 52-6

Cell count:

Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, Beiko GHH, 52-6

Cell type: See Cells

See also Prognosis

Cells:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6

Chalazion:

A rare agent of chalazion: demodectic mites, Köksal M et al, 605-6

Chemotherapy: See Drug therapy

Chemotherapy, adjuvant:

Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 598-601

Child:

Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, Filipović T et al, 587-92

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Choriocapillaris: See Choroid

Chorioretinal degeneration: See Retinal degeneration

Chorioretinitis:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

Choroid:

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, Sefau SOA et al, 57-62

Choroid diseases:

Intraocular leukemia as the primary manifestation of relapsing acute myelogenous leukemia, Kassam F et al, 613-6

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Choroid hemorrhage:

Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, Nguyen TN et al, 228-9

Choroid neoplasms:

Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, Nguyen TN et al, 228-9

Choroidal melanoma: See Choroid neoplasms

See also Melanoma

Choroidal neovascularization:

Hemorrhage in patients who have received transpupillary thermotherapy for subfoveal choroidal neovascularization, Greuloch K et al, 308-11

Choroideremia:

Clinical diagnoses that overlap with choroideremia [Continuing Professional Development], Lee TKM et al, 364-72

Chronic renal failure: See Kidney failure, chronic

Cicatrix:

Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63

Ciliary body:

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Ultrasound biomicroscopic findings in a cavitary melanocytoma of the ciliary body, Capeans C et al, 501-3

Ciliochoroidal effusion: See Choroid diseases

See also Ciliary body

Clinical competence:

Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11

Clinical pathology: See Pathology, clinical

Clinical skills: See Clinical competence

Collagen:

Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Complications: See Postoperative complications

Cone-rod dystrophy: See Retinitis pigmentosa

Congenital stationary night blindness: See Night blindness

Conjunctival neoplasms:

Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, Malik KPS et al, 397-400

Histiocytome fibreux de la conjonctive, Kiratlı H et al, 504-6

Conscious sedation:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Continuing medical education: See Education, medical, continuing

Cornea:

Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, Beiko GH, 52-6

Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, Rocha G et al, 385-92

Corneal thickness: See Cornea

Cosmetic surgery: See Surgery, plastic

Counselling:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Cranial nerve diseases:

Masked bilateral superior oblique palsy, Esmail F et al, 476-81

Cryotherapy:

Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, Malik KPS et al, 397-400

Cyclooxygenase-2: See Prostaglandin-endoperoxide synthase

Cytomegalovirus:

Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Demodex: See Mites

Dextrans:

Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Diabetes mellitus:

Basal serum nitric oxide levels in patients with type 2 diabetes mellitus and different stages of retinopathy, Özden S et al, 393-6

Retinopathy in sickle cell trait: Does it exist?, Nia J et al, 46-51

Diabetic retinopathy:

Basal serum nitric oxide levels in patients with type 2 diabetes mellitus and different stages of retinopathy, Özden S et al, 393-6

Comparison of two, three and four 45° image fields obtained with the Topcon CRW6 nonmydriatic camera for screening for diabetic retinopathy, Perrier M et al, 569-74

Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

Effectiveness and safety of screening for diabetic retinopathy with two nonmydriatic digital images compared with the seven standard stereoscopic photographic fields, Boucher MC et al, 557-68

Telemedicine and tele-ophthalmology [editorial], Burnier MN Jr, 343

Telemedicine and tele-ophthalmology: part II [editorial], Burnier MN Jr, 537-8

Use of telemedicine in screening for diabetic retinopathy, Choremis J et al, 575-9

Diagnosis, computer-assisted:

Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

Telemedicine and tele-ophthalmology [editorial], Burnier MN Jr, 343

Telemedicine and tele-ophthalmology: part II [editorial], Burnier MN Jr, 537-8

Diagnostic imaging:

Comparison of two, three and four 45° image fields obtained with the Topcon CRW6 nonmydriatic camera for screening for diabetic retinopathy, Perrier M et al, 569-74

Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

Effectiveness and safety of screening for diabetic retinopathy with two nonmydriatic digital images compared with the seven standard stereoscopic photographic fields, Boucher MC et al, 557-68

- Use of telemedicine in screening for diabetic retinopathy, Choremis J et al, 575-9
- Dietary supplements:** See Vitamins
See also Minerals
See also Medicine, herbal
- Digital imaging:** See Diagnosis, computer-assisted
See also Diagnostic imaging
- Dimenhydrinate:**
Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22
- Diode laser:** See Lasers
- Diode laser photocoagulation:** See Laser coagulation
- Diplopia:**
Presbyopia complicating preexisting strabismus, Oystreck DT et al, 272-8
- Diptera:**
Massive orbital and ocular invasion in ophthalmomyiasis, Balasubramanya R et al, 297-8
- Dipterous fly:** See Diptera
- Disc swelling:** See Optic disc
- Dissection:**
Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13
- Dorzolamide:**
Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75
- Drainage:**
Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8
- Draperidol:**
Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22
- Drug therapy:**
Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 598-601
- Drug toxicity:**
Epiretinal membrane development during interferon treatment, Kargi SH et al, 610-2
Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302
- Drusen, retinal:** See Retinal drusen
- Durapatite:**
One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, Jordan DR et al, 406-9
- Dysmorphophobia:** See Body image
- Eccrine glands:**
Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63
- Education, medical:**
Challenges for the future of eye care in Canada [editorial], Anderson DP, 261
Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11
- Education, medical, continuing:**
Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11
- Endophthalmitis:**
Endophthalmitis Vitrectomy Study [letter], Hutnik CML, 264-5
Endophthalmitis Vitrectomy Study [letter], Johnson TM, 264
- Endophthalmitis Vitrectomy Study:** See Practice guidelines
See also Endophthalmitis
- Endothelial cell count:** See Cell count
See also Endothelium, corneal
- Endothelial cell:** See Endothelium
- Endothelial growth factors:**
Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5
Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63
- Endothelium:**
Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5
- Endothelium, corneal:**
Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, Beiko GHH, 52-6
- Epiretinal membranes:** See Retinal diseases
See also Membranes
- Epstein-Barr virus:** See Herpesvirus 4, human
- Equipment:**
Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, Beiko GHH, 52-6
- Esthetics:**
Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8
- Eye, artificial:**
One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, Jordan DR et al, 406-9
- Eye diseases, hereditary:**
Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40
- Eye foreign bodies:**
Retained submacular perfluorodecalin, Saatci AO et al, 293-6
- Eye neoplasms:**
Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 598-601
- Eyebrows:**
Trichotillomania, Jordan DR et al, 303-5
- Eyelashes:**
Trichotillomania, Jordan DR et al, 303-5
- Eyelid diseases:**
Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63
- Eyelid neoplasms:**
Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63

Eyelids:

- A rare agent of chalazion: demodectic mites, Köksal M et al, 605-6
- Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63

Family physicians: See Physicians, family

Family relations:

- Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-8; correction 538

Fibroblasts:

- Histiocytome fibreux de la conjonctive, Kiratlı H et al, 504-6

Fibrous histiocytoma: See Histiocytoma, fibrous

Fibrovascular pigment epithelium detachment: See Pigment epithelium of eye

First Nations: See Health services, indigenous

Fixation-switch diplopia: See Diplopia

Fluorescein angiography:

- Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

Foreign bodies:

- Traumatic optic neuropathy secondary to an intraoptic nerve foreign body, Young ML et al, 289-92
- Traumatic optic neuropathy secondary to an intraoptic nerve foreign body [discussion], Rudnisky CJ, 291-2

Fourth cranial nerve palsy: See Cranial nerve diseases

Genes, RDS:

- Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40

Geriatrics:

- Massive orbital and ocular invasion in ophthalmomyiasis, Balasubramanya R et al, 297-8

Giant retinal tears: See Retinal perforations

Glaucoma:

- Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, Carrillo M et al, 230-2
- Canadian perspectives in glaucoma management: setting target intraocular pressure range [Continuing Professional Development], Damji KF et al, 189-97
- Comparison of outcomes of viscoanalostomy and phacoviscocanalostomy, Üretmen Ö et al, 580-6
- Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8
- Glaucoma screening by primary care physicians in southern Alberta: patterns, methods and deficiencies, Huang JT et al, 279-84
- Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Glaucoma, angle-closure:

- Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Guidelines, practice: See Practice guidelines

Hair follicle:

- Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63

Health manpower:

- Challenges for the future of eye care in Canada [editorial], Anderson DP, 261

Health services, indigenous:

- Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

Hemorrhage:

- Hemorrhage in patients who have received transpupillary thermotherapy for subfoveal choroidal neovascularization, Greuloch K et al, 308-11

Hemorrhagic choroidal lesions: See Choroid hemorrhage

Herbal supplements: See Medicine, herbal

Herpesvirus 4, human:

- Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Herpesvirus 8, human:

- Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Histiocytoma, fibrous:

- Histiocytome fibreux de la conjonctive, Kiratlı H et al, 504-6

Histiocytosis, Langerhans-cell:

- Bilateral periorbital nerve lesions in a patient with Langerhans-cell histiocytosis, Ho Yuen V et al, 496-500

HIV:

- Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Holmium laser thermokeratoplasty: See Hyperthermia, induced

See also Laser surgery

Holmium:YAG laser: See Lasers

Hyaluronic acid:

- Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Hydroxyapatite: See Durapatite

Hyperopia:

- Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, Rocha G et al, 385-92

Hypertension:

- Retinopathy in sickle cell trait: Does it exist?, Nia J et al, 46-51

Hyperthermia, induced:

- Hemorrhage in patients who have received transpupillary thermotherapy for subfoveal choroidal neovascularization, Greuloch K et al, 308-11
- Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, Rocha G et al, 385-92

Imaging, digital: See Diagnosis, computer-assisted

See also Diagnostic imaging

Immunohistochemistry:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6

Immunosuppression:

Ophthalmic assessment of children before renal transplantation, Behbehani A et al, 379-84

Implants, artificial:

Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8

One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, Jordan DR et al, 406-9

Indications for surgery:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines?, Mildon D et al, 199-206

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines? [discussion], Huang PT, 206

Indocyanine green:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

Infant:

Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, Beyrau K et al, 267-71

Infection:

One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, Jordan DR et al, 406-9

Infrared diode laser: See Infrared rays

Infrared rays:

Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, Scorolli L et al, 489-95

Injections, intravitreal:

Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 598-601

Interdepartmental relations:

The importance of a team approach to research in ophthalmology [editorial], Burnier MN Jr, 451

Interferon-alpha:

Epiretinal membrane development during interferon treatment, Kargi SH et al, 610-2

Internship and residency:

Challenges for the future of eye care in Canada [editorial], Anderson DP, 261

Intraocular foreign bodies: See Eye foreign bodies

Intraocular lymphoma: See Eye neoplasms

Intraocular pressure:

Canadian perspectives in glaucoma management: setting target intraocular pressure range [Continuing Professional Development], Damji KF et al, 189-97

Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8

Intravitreal injections: See Injections, intravitreal

Job satisfaction:

Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-8; correction 538

Keratitis:

Rhodotorula infection in a corneal graft following penetrating keratoplasty, Bawazeer AM et al, 225-7

Keratomileusis: See Cornea

Keratoplasty, penetrating:

Rhodotorula infection in a corneal graft following penetrating keratoplasty, Bawazeer AM et al, 225-7

Kidney failure, chronic:

Ophthalmic assessment of children before renal transplantation, Behbehani A et al, 379-84

Kidney transplantation:

Ophthalmic assessment of children before renal transplantation, Behbehani A et al, 379-84

Langerhans-cell histiocytosis: See Histiocytosis, Langerhans-cell

Laser capsulotomy: See Lens capsule, crystalline

See also Lasers

Laser coagulation:

Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, Scorolli L et al, 489-95

Laser surgery:

Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, Rocha G et al, 385-92

Lasers:

Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, Carrillo M et al, 230-2

Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, Scorolli L et al, 489-95

Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, Rocha G et al, 385-92

Latanoprost:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Lens capsule, crystalline:

Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, Carrillo M et al, 230-2

Leukemia:

Intraocular leukemia as the primary manifestation of relapsing acute myelogenous leukemia, Kassam F et al, 613-6

Lymphoma:

Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 598-601

Macula lutea:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

- Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63
- Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, Beyrau K et al, 267-71
- Macular degeneration:**
- Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, Scorolli L et al, 489-95
- Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32
- Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5
- Macular dystrophy:**
- Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40
- Macular holes:** See Retinal perforations
- Maggot infestations:** See Myiasis
- Malignant melanoma:** See Melanoma
- Manikens:**
- Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11
- Mass screening:**
- Comparison of two, three and four 45° image fields obtained with the Topcon CRW6 nonmydriatic camera for screening for diabetic retinopathy, Perrier M et al, 569-74
- Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, Filipović T et al, 587-92
- Effectiveness and safety of screening for diabetic retinopathy with two nonmydriatic digital images compared with the seven standard stereoscopic photographic fields, Boucher MC et al, 557-68
- Use of telemedicine in screening for diabetic retinopathy, Choremis J et al, 575-9
- Medical education:** See Education, medical
- Medicine, herbal:**
- Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32
- Melanocytes:**
- Ultrasound biomicroscopic findings in a cavitary melanocytoma of the ciliary body, Capeáns C et al, 501-3
- Melanocytoma:** See Neoplasms
- See also Melanocytes
- Melanoma:**
- Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6
- Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, Malik KPS et al, 397-400
- Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, Nguyen TN et al, 228-9
- Membranes:**
- Epiretinal membrane development during interferon treatment, Kargı SH et al, 610-2
- Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63
- Methotrexate:**
- Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, Tourville E et al, 559-601
- Methylmethacrylates:**
- Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8
- Microdissection:** See Dissection
- Minerals:**
- Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32
- Mites:**
- A rare agent of chalazion: demodectic mites, Köksal M et al, 605-6
- Models, anatomic:**
- Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11
- Müller glial cells:** See Neuroglia
- Multiple sclerosis:**
- Probable autoimmune retinopathy in a patient with multiple sclerosis, Forooghian F et al, 593-7
- Mutation:**
- Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40
- Myiasis:**
- Massive orbital and ocular invasion in ophthalmomyiasis, Balasubramanya R et al, 297-8
- Nausea:**
- Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22
- Neoplasms:**
- Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63
- Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, Nguyen TN et al, 228-9
- Ultrasound biomicroscopic findings in a cavitary melanocytoma of the ciliary body, Capeáns C et al, 501-3
- Neoplasms, adnexal and skin appendage:**
- Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63
- Neovascularization:**
- Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5
- Neuroglia:**
- Age-related decrease of potassium currents in glial (Müller) cells of the human retina, Bringmann A et al, 464-8
- Neuropilin-1:** See Receptors, growth factor
- Night blindness:**
- Clinical diagnoses that overlap with choroideremia [Continuing Professional Development], Lee TKM et al, 364-72
- Nitric oxide:**
- Basal serum nitric oxide levels in patients with type 2 diabetes mellitus and different stages of retinopathy, Özden S et al, 393-6

Nonmydriatic camera: See Diagnostic imaging

Ocular prosthesis: See Eye, artificial

Oculomotor muscles:

Masked bilateral superior oblique palsy, Esmail F et al, 476-81

Oculomotor nerve:

Masked bilateral superior oblique palsy, Esmail F et al, 476-81

Oculomotor nerve palsy: See Oculomotor nerve paralysis

Oculomotor nerve paralysis:

Wegener's granulomatosis: a diagnostic dilemma. Case presentation, Huang PT et al, 63-6

Ondansetron:

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Ophthalmic viscosurgical devices: See Equipment

Ophthalmology:

Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-8; correction 538

Challenges for the future of eye care in Canada [editorial], Anderson DP, 261

Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

The importance of a team approach to research in ophthalmology [editorial], Burnier MN Jr, 451

Telemedicine and tele-ophthalmology [editorial], Burnier MN Jr, 343

Telemedicine and tele-ophthalmology: part II [editorial], Burnier MN Jr, 537-8

Ophthalmomyiasis: See Myiasis

Optic disc:

Acute macular neuroretinopathy and associated disc swelling and blind spot enlargement, Shah GK et al, 602-4

Optic nerve:

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body, Young ML et al, 289-92

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body [discussion], Rudnisky CJ, 291-2

Optic nerve diseases:

Acute macular neuroretinopathy and associated disc swelling and blind spot enlargement, Shah GK et al, 602-4

Bilateral periopic nerve lesions in a patient with Langerhans-cell histiocytosis, Ho Yuen V et al, 496-500

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body, Young ML et al, 289-92

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body [discussion], Rudnisky CJ, 291-2

Orbit:

Massive orbital and ocular invasion in ophthalmomyiasis, Balasubramanya R et al, 297-8

Orbital implants: See Implants, artificial

Palsy, oculomotor nerve: See Oculomotor nerve paralysis

Pathology:

The value of clinicopathological correlation in patient care, teaching and research in ophthalmology [editorial], Burnier MN Jr, 19-20

Pathology, clinical:

The value of clinicopathological correlation in patient care, teaching and research in ophthalmology [editorial], Burnier MN Jr, 19-20

Patient education:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Pediatrics:

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Ophthalmic assessment of children before renal transplantation, Behbehani A et al, 379-84

Penetrating keratoplasty: See Keratoplasty, penetrating

Perfluorocarbons:

Retained submacular perfluorodecalin, Saatci AO et al, 293-6

Perfluorodecalin: See Perfluorocarbons

Phacoemulsification: See Cataract extraction

Phacoviscocanalostomy: See Glaucoma

See also Cataract

See also Surgery, operative

Physician supply: See Health manpower

Physicians, family:

Glaucoma screening by primary care physicians in southern Alberta: patterns, methods and deficiencies, Huang JT et al, 279-84

Physicians' practice patterns:

Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-8; correction 538

Pigment epithelium of eye:

Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5

Hemorrhage in patients who have received transpupillary thermotherapy for subfoveal choroidal neovascularization, Greuloch K et al, 308-11

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, Sefau SOA et al, 57-62

Polymerase chain reaction:

Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, de Smet MD et al, 207-13

Polymethylmethacrylate: See Methylmethacrylates

Postoperative complications:

Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, Carrillo M et al, 230-2

Endophthalmitis Vitrectomy Study [letter], Hutnik CML, 264-5

Endophthalmitis Vitrectomy Study [letter], Johnson TM, 264

Postoperative nausea and vomiting: See Postoperative period

See also Nausea
See also Vomiting

Postoperative period:

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Potassium channels:

Age-related decrease of potassium currents in glial (Müller) cells of the human retina, Bringmann A et al, 464-8

Practice guidelines:

Canadian perspectives in glaucoma management: setting target intraocular pressure range [Continuing Professional Development], Damji KF et al, 189-97

Endophthalmitis Vitrectomy Study [letter], Hutnik CML, 264-5

Endophthalmitis Vitrectomy Study [letter], Johnson TM, 264

Preoperative counselling: See Counselling

Presbyopia:

Presbyopia complicating preexisting strabismus, Oystreck DT et al, 272-8

Primary care physicians: See Physicians, family

Prognosis:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6

Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, Malik KPS et al, 397-400

Prostaglandin antagonists:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Prostaglandin-endoperoxide synthase:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6

***Pseudomonas aeruginosa*:**

One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, Jordan DR et al, 406-9

Pupillary block: See Aqueous humour

Radiation:

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, Sefau SOA et al, 57-62

Radiation retinopathy:

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, Sefau SOA et al, 57-62

RDS genes: See Genes, RDS

Receptors, growth factor:

Expression of neuropilin-1 in choroidal neovascular membranes, Cui JZ et al, 41-5

Recurrence:

Intraocular leukemia as the primary manifestation of relapsing acute myelogenous leukemia, Kassam F et al, 613-6

Registries:

The value of clinicopathological correlation in patient care, teaching and research in ophthalmology [editorial], Burnier MN Jr, 19-20

Relapse: See Recurrence

Renal transplantation: See Kidney transplantation

Research:

The importance of a team approach to research in ophthalmology [editorial], Burnier MN Jr, 451

Residency, medical: See Internship and residency

Restrictive strabismus: See Strabismus

Retina:

Age-related decrease of potassium currents in glial (Müller) cells of the human retina, Bringmann A et al, 464-8

Probable autoimmune retinopathy in a patient with multiple sclerosis, Forooghian F et al, 593-7

Wegener's granulomatosis: a diagnostic dilemma. Case presentation, Huang PT et al, 63-6

Retinal degeneration:

Autosomal dominant macular dystrophy in a large Canadian family, Donoso LA et al, 33-40

Probable autoimmune retinopathy in a patient with multiple sclerosis, Forooghian F et al, 593-7

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, Sefau SOA et al, 57-62

Retinal detachment:

Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, Beyrau K et al, 267-71

Retained submacular perfluorodecalin, Saatci AO et al, 293-6

Retinal diseases:

Acute macular neuroretinopathy and associated disc swelling and blind spot enlargement, Shah GK et al, 602-4

Epiretinal membrane development during interferon treatment, Kargı SH et al, 610-2

Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63

Retinopathy in sickle cell trait: Does it exist?, Nia J et al, 46-51

Retinal drusen:

Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, Scorolli L et al, 489-95

Retinal hemorrhage:

Epiretinal membrane development during interferon treatment, Kargı SH et al, 610-2

Retinal neovascularization:

Retinopathy in sickle cell trait: Does it exist?, Nia J et al, 46-51

Retinal perforations:

Retained submacular perfluorodecalin, Saatci AO et al, 293-6

Vanishing visual field defect that had appeared after macular hole surgery, Fardin B et al, 306-7

Retinal pigment epithelium: See Pigment epithelium of eye

Retinal tears: See Retinal perforations

Retinitis pigmentosa:

Clinical diagnoses that overlap with choroideremia [Continuing Professional Development], Lee TKM et al, 364-72

Retinopathy of prematurity:

Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, Beyrau K et al, 267-71

Rhodotorula:

Rhodotorula infection in a corneal graft following penetrating keratoplasty, Bawazeer AM et al, 225-7

Risk factors:

Glaucoma screening by primary care physicians in southern Alberta: patterns, methods and deficiencies, Huang JT et al, 279-84

Rod-cone dystrophy: See Retinitis pigmentosa

Scars: See Cicatrix

Sclera:

Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8

Scleral buckling:

Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, Beyrau K et al, 267-71

Sclerectomy: See Sclera

Screening: See Vision screening

See also Mass screening

Sedation, conscious: See Conscious sedation

Sex characteristics:

Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-8; correction 538

Sex differences: See Sex characteristics

Sickle cell trait:

Retinopathy in sickle cell trait: Does it exist?, Nia J et al, 46-51

Skin:

Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, Özdal PÇ et al, 357-63

Skin abnormalities:

Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Skin aging:

Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Soft-tissue fillers: See Surgery, plastic

Specialties, medical:

Challenges for the future of eye care in Canada [editorial], Anderson DP, 261

Strabismus:

Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, Filipović T et al, 587-92

Masked bilateral superior oblique palsy, Esmail F et al, 476-81

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Presbyopia complicating preexisting strabismus, Oystreck DT et al, 272-8

Stress:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Superior oblique palsy: See Oculomotor muscles

Surgery:

Career satisfaction and surgical practice patterns among female ophthalmologists, Jinapriya D et al, 373-85; correction 538

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Surgery, cosmetic: See Surgery, plastic

Surgery, operative:

Comparison of outcomes of viscocanalostomy and phacoviscocanalostomy, Üretmen Ö et al, 580-6

Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, Ateş H et al, 482-8

Masked bilateral superior oblique palsy, Esmail F et al, 476-81

Vanishing visual field defect that had appeared after macular hole surgery, Fardin B et al, 306-7

Surgery, plastic:

Dysmorphophobia, Jordan DR et al, 223-4

Soft-tissue fillers for wrinkles, folds and volume augmentation, Jordan DR, 285-8

Surgical outcome: See Treatment outcome

Syphilis:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, Baglivo E et al, 401-5

Teaching materials:

Enhanced models for teaching slit-lamp skills [medical education], Romanchuk KG, 507-11

Telemedicine:

Current state and future direction of tele-ophthalmology in Canada: First Canadian Ophthalmic Telemedicine Symposium, Telemedicine Task Force for Vision and Ophthalmology, 349-51

Telemedicine and tele-ophthalmology [editorial], Burnier MN Jr, 343

Telemedicine and tele-ophthalmology: part II [editorial], Burnier MN Jr, 537-8

Use of telemedicine in screening for diabetic retinopathy, Choremis J et al, 575-9

Timolol:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, Houde M et al, 469-75

Transforming growth factors:

Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63

Transpupillary thermotherapy: See Hyperthermia, induced

Trauma: See Wounds and injuries

Treatment outcome:

Comparison of outcomes of viscocanalostomy and phacoviscocanalostomy, Üretmen Ö et al, 580-6

Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, Malik KPS et al, 397-400

Trichotillomania:

Trichotillomania, Jordan DR et al, 303-5

Trimethoprim-sulfamethoxazole combination:

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, Waheeb S et al, 299-302

Tumours: See Neoplasms**Ultrasound biomicroscopy:** See Biomicroscopy, ultrasound**Usher's syndrome:**

Clinical diagnoses that overlap with choroideremia [Continuing Professional Development], Lee TKM et al, 364-72

Uveal neoplasms:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, Figueiredo A et al, 352-6

Vascular endothelial growth factor: See Endothelial growth factors**Viscocalanostomy:** See Glaucoma

See also Surgery, operative

Vision screening:

Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, Filipović T et al, 587-92

Glaucoma screening by primary care physicians in southern Alberta: patterns, methods and deficiencies, Huang JT et al, 279-84

Ophthalmic assessment of children before renal transplantation, Behbehani A et al, 379-84

Visual acuity:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines?, Mildon D et al, 199-206

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines? [discussion], Huang PT, 206

Visual field defect: See Visual fields**Visual fields:**

Acute macular neuroretinopathy and associated disc swelling and blind spot enlargement, Shah GK et al, 602-4

Vanishing visual field defect that had appeared after macular hole surgery, Fardin B et al, 306-7

Visual function:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines?, Mildon D et al, 199-206

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines? [discussion], Huang PT, 206

Visual perception:

The Misericordia Health Centre cataract comfort study [letter], Leo SW et al, 23-4

Visual sensations: See Visual perception**Vitamins:**

Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32

Vitrectomy:

Endophthalmitis Vitrectomy Study [letter], Hutnik CML, 264-5

Endophthalmitis Vitrectomy Study [letter], Johnson TM, 264

Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, Mandelcorn E et al, 457-63

Vanishing visual field defect that had appeared after macular hole surgery, Fardin B et al, 306-7

Vitreous hemorrhage:

Vitreous hemorrhage as the presenting sign of antiphospholipid syndrome, Monshizadeh R et al, 607-9

Vomiting:

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, Caron E et al, 214-22

Wegener's granulomatosis:

Wegener's granulomatosis: a diagnostic dilemma. Case presentation, Huang PT et al, 63-6

Wounds and injuries:

Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, Nguyen TN et al, 228-9

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body, Young ML et al, 289-92

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body [discussion], Rudnisky CJ, 291-2

Zinc:

Current use of dietary supplementation in patients with age-related macular degeneration, Chang CW et al, 27-32

AUTHORS • AUTEURS

Andaç K: See Ateş H

See Üretmen Ö

Anderson DP:

Challenges for the future of eye care in Canada [editorial], 261

Angioi K: See Boucher MC

See Perrier M

Anhalt EF: See Lee TKM

Aptsiari N: See Forooghian F

Ashenhurst ME: See Ho Yuen V

Assalian A: See Houde M

Ateş H:

Deep sclerectomy with a nonabsorbable implant (T-Flux): preliminary results, 482-8

See Üretmen Ö

Au Eong KG: See Leo SW

Azarsız SS: See Ateş H

Baglivo E:

Fluorescein and indocyanine green angiographic features in acute syphilitic macular placoid chorioretinitis, 401-5

Bajaj MS: See Balasubramanya R

Balasubramanya R:

Massive orbital and ocular invasion in ophthalmomyiasis, 297-8

Bassett K: See Mildon D

Bawazeer AM:

Rhodotorula infection in a corneal graft following penetrating keratoplasty, 225-7

Beck J: See Donoso LA

Behbehani A:

Ophthalmic assessment of children before renal transplantation, 379-84

Behki R: See Damji KF

Beiko GHH:

Endothelial cell loss after cataract phacoemulsification with Healon5 vs. I-Visc Phaco, 52-6

Beyrau K:

Outcomes of primary scleral buckling for stage 4 retinopathy of prematurity, 267-71

Bhamra J: See Huang PT

Bhatti MT: See Monshizadeh R

Biçer N: See Özden S

Blanco MJ: See Capeáns C

Blicker J: See Mildon D

Boucher MC:

Effectiveness and safety of screening for diabetic retinopathy with two nonmydriatic digital images compared with the seven standard stereoscopic photographic fields, 557-68

See Perrier M

Bringmann A:

Age-related decrease of potassium currents in glial (Müller) cells of the human retina, 464-8

Brownstein S: See Ho Yuen V

See Jordan DR

See Sefau SOA

Buncic JR: See Behbehani A

Burnier MN Jr:

The importance of a team approach to research in ophthalmology [editorial], 451

Telemedicine and tele-ophthalmology [editorial], 343

Telemedicine and tele-ophthalmology: part II [editorial], 537-8

The value of clinicopathological correlation in patient care, teaching and research in ophthalmology [editorial], 19-20

See Figueiredo A

See Nguyen TN

See Özdal PÇ

Bussi res JF: See Caron E

Buys YM: See Carrillo M

Caissie AL: See Figueiredo A

Callejo SA: See Figueiredo A

See  zdal PÇ

Cape ns C:

Ultrasound biomicroscopic findings in a cavitary melanocytoma of the ciliary body, 501-3

Caron E:

Ondansetron for the prevention and treatment of nausea and vomiting following pediatric strabismus surgery, 214-22

Carrillo M:

Acute angle-closure glaucoma following neodymium:YAG laser posterior capsulotomy, 230-2

Cartagena RG: See Rocha G

Castillo JM: See Rocha G

Castilloux AM: See Houde M

Chan CC: See de Smet MD

Chang CW:

Current use of dietary supplementation in patients with age-related macular degeneration, 27-32

Chisholm IA: See Sefau SOA

Choremis J:

Use of telemedicine in screening for diabetic retinopathy, 575-9

Chow DR: See Choremis J

Chu G: See Chang CW

Cockerill R: See Jinapriya D

Cod re F: See  zdal PÇ

Cohen J: See Mandelcorn E

Cooper BA: See Shah GK

Corazza D: See Scorolli L

Courtright P: See Mildon D

Cui JZ:

Expression of neuropilin-1 in choroidal neovascular membranes, 41-5

Dadeya S: See Malik KPS

Damji KF:

Canadian perspectives in glaucoma management: setting target intraocular pressure range [Continuing Professional Development], 189-97

Danis R: See Beyrau K

de Smet MD:

Microdissection combined with the polymerase chain reaction to identify potentiating viral co-infection in patients with HIV/AIDS with ocular infection, 207-13

Donoso LA:

Autosomal dominant macular dystrophy in a large Canadian family, 33-40

Dorey MW: See Ho Yuen V

See Jordan DR

See Sefau SOA

Edelstein C: See Nguyen TN

Egeler RM: See Ho Yuen V

Ells A: See Ho Yuen V

Eng KT: See Nia J

Esmail F:

Masked bilateral superior oblique palsy, 476-81

Fardin B:

Vanishing visual field defect that had appeared after macular hole surgery, 306-7

Feldman F: See Waheeb S

Figueiredo A:

Cyclooxygenase-2 expression in uveal melanoma: novel classification of mixed-cell-type tumours, 352-6

Filipović T:

Earlier detection of amblyopia and strabismus by ophthalmologic screening card attached to the vaccination card, 587-92

Firat E: See Kargı SH

Flanders M: See Esmail F

Forooghian F:

Probable autoimmune retinopathy in a patient with multiple sclerosis, 593-7

Frost A: See Donoso LA

Gale JS: See Kassam F

Gold P: See Figueiredo A

Grand MG: See Shah GK

Greenberg J: See Lee TKM

Gresset JA: See Boucher MC
See Perrier M

Greuloch K:

Hemorrhage in patients who have received transpupillary thermotherapy for subfoveal choroidal neovascularization, 308-11

Greve MDJ: See Chang CW

See Cui JZ

Gržetić R: See Filipović T

Gulliani BP: See Malik KPS

Güner G: See Özden S

Gupta VS: See Malik KPS

Güven S: See Üretmen Ö

Hageman G: See Donoso LA

Hart WM: See Shah GK

Hébert M: See Donoso LA

Heckenlively JR: See Lee TKM

Hinz BJ: See Chang CW

See Cui JZ

Ho Yuen V:

Bilateral perioptic nerve lesions in a patient with Langerhans-cell histiocytosis, 496-500

Hodge WG: See Bawazeer AM

Hornan D: See Cui JZ

Houde M:

Prescription of topical antiglaucoma agents for patients with contraindications to β -blockers, 469-75

Howarth D: See Mandelcorn E

Huang JT:

Glaucoma screening by primary care physicians in southern Alberta: patterns, methods and deficiencies, 279-84

See Huang PT

Huang PT:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines? [discussion], 206

Wegener's granulomatosis: a diagnostic dilemma. Case presentation, 63-6

See Huang JT

Hutnik CML:

Endophthalmitis Vitrectomy Study [letter], 264-5

Jacob JL: See Caron E

Javorska L: See Mandelcorn E

Jinapriya D:

Career satisfaction and surgical practice patterns among female ophthalmologists, 373-8; correction, 538

Johnson TM:

Endophthalmitis Vitrectomy Study [letter], 264

Johnston J: See Rocha G

Jordan DR:

Dysmorphophobia, 223-4

One patient with infection at different times of 2 hydroxyapatite implants, each requiring explantation, 406-9

Soft-tissue fillers for wrinkles, folds and volume augmentation, 285-8

Trichotillomania, 303-5

See Ho Yuen V

Kapetanios A: See Baglivo E

Kapusta MA: See Young ML

Kargı S: See Köksal M

Kargı SH:

Epiretinal membrane development during interferon treatment, 610-2

Kassam F:

Intraocular leukemia as the primary manifestation of relapsing acute myelogenous leukemia, 613-6

Kertes PJ: See Forooghian F

Khan Y: See Mandelcorn E

Kıratlı H:

Histiocytome fibreux de la conjonctive, 504-6

Kirby M: See Nia J

Kleinman DM: See Nia J

Koçak N: See Saatci AO

Kohen L: See Bringmann A

Köksal M:

A rare agent of chalazion: demodectic mites, 605-6

Kraft S: See Behbehani A

Lai WW: See Greuloch K

Lam WC: See Nia J

Law F: See Mildon D

Lebel D: See Caron E

Lee TKM:

Clinical diagnoses that overlap with choroideremia [Continuing Professional Development], 364-72

LeLorier J: See Houde M

Leo SW:

The Misericordia Health Centre cataract comfort study [letter], 23-4

Levin AV: See Behbehani A

See Lee TKM

Little JM: See Sefau SOA

Liu ES: See Nia J

Lortie L: See Caron E

Lugaresi ML: See Scorolli L

Lyons CJ: See Oystreck DT

MacDonald IM: See Donoso LA

See Lee TKM

Malik KPS:

Favourable outcome of giant malignant melanoma of the conjunctiva despite poor prognostic features, 397–400

Mandelcorn E:

Idiopathic epiretinal membranes: cell type, growth factor expression, and fluorescein angiographic and retinal photographic correlations, 457–63

Mandelcorn M: See Mandelcorn E

Mansour M: See Nguyen TN

Mathews S: See Caron E

Matsubara JA: See Cui JZ

Mawn LA: See Jordan DR

McLean IW: See Figueiredo A

McTaggart KE: See Lee TKM

Meduri RA: See Scorolli L

Mildon D:

Cataract surgery at the Vancouver Eye Care Centre: Do patient indications meet provincial clinical practice guidelines?, 199–206

Milot J: See Caron E

Monshizadeh R:

Vitreous hemorrhage as the presenting sign of antiphospholipid syndrome, 607–9

Morara M: See Scorolli L

Moride Y: See Caron E

Nguyen TN:

Primary choroidal melanoma masquerading as a hemorrhagic lesion in a patient with ocular trauma, 228–9

Nia J:

Retinopathy in sickle cell trait: Does it exist?, 46–51

Noertjojo K: See Mildon D

Olivier S: See Boucher MC

See Perrier M

Oystreck DT:

Presbyopia complicating preexisting strabismus, 272–8

Öz Ö: See Kargı SH

Özbay D: See Özden S

Özdal PÇ:

Benign ocular adnexal tumours of apocrine, eccrine or hair follicle origin, 357–63

Özden S:

Basal serum nitric oxide levels in patients with type 2 diabetes mellitus and different stages of retinopathy, 393–6

Pardo M: See Capeáns C

Pavlin CJ: See Waheeb S

Pazos B: See Capeáns C

Pepose J: See de Smet MD

Perrier M:

Comparison of two, three and four 45° image fields

obtained with the Topcon CRW6 nonmydriatic camera for screening for diabetic retinopathy, 569–74

Piñeiro A: See Capeáns C

Potter MJ: See Cui JZ

Powell BR: See Lee TKM

Pulido JS: See Greulich K

Pushker N: See Balasubramanya R

Radhakrishnan M: See Leo SW

Rani A: See Balasubramanya R

Reichenbach A: See Bringmann A

Rengaraj V: See Leo SW

Rhemtulla F: See Huang JT

Richards H: See Monshizadeh R

Rocha G:

Two-year follow-up of noncontact holmium laser thermokeratoplasty for the correction of low hyperopia, 385–92

Rollins D: See Mildon D

Romanchuk KG:

Enhanced models for teaching slit-lamp skills [medical education], 507–11

See Sefau SOA

Ruacan Ş: See Kiratlı H

Rudnisky CJ:

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body [discussion], 291–2

Saatci AO:

Retained submacular perfluorodecalin, 293–6

Sabti K: See Young ML

Safran AB: See Baglivo E

Samad A: See Cui JZ

Sánchez-Salorio M: See Capeáns C

Sánchez-Thorin JC: See Rocha G

Scorolli L:

Argon laser vs. subthreshold infrared (810-nm) diode laser macular grid photocoagulation in nonexudative age-related macular degeneration, 489–95

Sefau SOA:

Radiation-induced chorioretinal degeneration: a clinicopathological report of three cases, 57–62

Shah GK:

Acute macular neuroretinopathy and associated disc swelling and blind spot enlargement, 602–4

Sheffield V: See Donoso LA

Sheidow TG: See Kassam F

Shen DF: See de Smet MD

Sieving PA: See Lee TKM

Suárez-Peñaranda JM: See Capeáns C

Sviderek-Stalekar D: See Filipović T

Tabandeh H: See Monshizadeh R

Tardif Y: See Tourville E

Target IOP Workshop participants: See Damji KF

Tatlipinar S: See Özden S

Tayşi BN: See Köksal M

Telemedicine Task Force for Vision and Ophthalmology:

Current state and future direction of tele-ophthalmology in

Canada: First Canadian Ophthalmic Telemedicine Symposium, 349-51

Tingey D: See Houde M

To E: See Cui JZ

Tong PY: See Lee TKM

Tourville E:

Intravitreal methotrexate injections for intraocular involvement in primary central nervous system lymphoma, 598-601

Trope GE: See Jinapriya D

Uğurbaş SH: See Köksal M

Üretmen Ö:

Comparison of outcomes of viscocanalostomy and phacoviscocanalostomy, 580-6

See Ateş H

Üstündağ Y: See Kargı SH

Velos P: See Waheeb S

Vismara S: See Scorolli L

Waheeb S:

Ultrasound biomicroscopic analysis of drug-induced bilateral angle-closure glaucoma associated with supraciliary choroidal effusion, 299-302

Wang L: See Damji KF

Weissgold DJ: See Fardin B

Weleber RG: See Lee TKM

Werner M: See Monshizadeh R

Wiedemann P: See Bringmann A

Wolf S: See Bringmann A

Wolff JEA: See Ho Yuen V

Yaylali V: See Özden S

Yildirim C: See Özden S

Young ML:

Traumatic optic neuropathy secondary to an intraoptic nerve foreign body, 289-92

BOOK REVIEWS • CRITIQUES DE LIVRE

The Atlas of Ophthalmology, Rocha G, 71

Clinical Pathways in Vitreoretinal Disease, Saraiva V, 518

Essential Medical Ophthalmology: a Problem-Oriented Approach, Lyons CJ, 517

Glaucoma: a Patient's Guide to the Disease, Lyons CJ, 517-8

HIV/AIDS and the Eye: a Global Perspective, Gardiner JA, 71

Manual of Ocular Diagnosis and Therapy, Schirmer KE, 518

Ocular Photodynamic Therapy, Hopkins J, 72

Tumeurs intraoculaires, Corriveau C, 72

PROFILES • PERSONNALITÉS

Courtright, Paul Douglas, Lank CN, 646, 648

Dixon, William S., Lank CN, 320, 328

Edelstein, Eugene, Lank CN, 421, 428

El-Defrawy, Sherif R., Lank CN, 532

Weinstock, S. Joseph, Weinstock, David J., and Weinstock, V. Moss, Ing EB, 84

OBITUARIES • NÉCROLOGIE

McKinna, Alfred J., Mills DW, 516

CONTINUING PROFESSIONAL DEVELOPMENT • PERFECTIONNEMENT PROFESSIONNEL CONTINU

Canadian perspectives in glaucoma management: setting target intraocular pressure range, Damji KF et al, 189-97

Clinical diagnoses that overlap with choroideremia, Lee TKM et al, 364-72